Greenfield runoff rate estimation tool

www.uksuds.com | Greenfield runoff rate estimation tool (https://www.uksuds.com/)

This is an estimation of the greenfield runoff rates that are used to meet normal best practice criteria in line with Environment Agency guidance “Rainfall runoff management for developments”, SC030219 (2013), the SuDS Manual C753 (CIRIA, 2015) and the non-statutory standards for SuDS (Defra, 2015). This information on greenfield runoff rates may be the basis for setting consents for the drainage of surface water runoff from sites.

Project details

Date	16/04/2026
Calculated by	LS
Reference	Darndale
Model version	2.2.3

Location

Site name	Darndale
Site location	



Site easting (Irish Grid)	320382
Site northing (Irish Grid)	240431
Site easting (Irish Transverse Mercator)	720307
Site northing (Irish Transverse Mercator)	740456

Site details

Total site area (ha)	1.5 ha

Greenfield runoff

Method

Method	IH124

IH124

	My value		Map value
SAAR (mm)	948 mm		948
How should SPR be derived?	WRAP soil type		
WRAP soil type	4		4
SPR	0.47		
QBar (IH124) (l/s)	10.3 l/s		

Growth curve factors

	My value		Map value
Hydrological region	12		12
1 year growth factor	0.85		
2 year growth factor	0.95		
10 year growth factor	1.72		
30 year growth factor	2.13		
100 year growth factor	2.61		
200 year growth factor	2.86		

Results

Method	IH124
Flow rate 1 year (l/s)	8.8 l/s
Flow rate 2 year (l/s)	9.8 l/s
Flow rate 10 years (l/s)	17.8 l/s
Flow rate 30 years (l/s)	22.0 l/s
Flow rate 100 years (l/s)	27.0 l/s
Flow rate 200 years (l/s)	29.5 l/s

Please note runoff estimation is subject to significant uncertainty. Results are therefore normally reported to only 1 decimal place. Where 2 decimal places are provided, this does not indicate accuracy to this level, it has been adopted to prevent 'zero' figures from being reported. Outputs less than 0.01 l/s are reported as 0.01 l/s.

Disclaimer

This report was produced using the Greenfield runoff rate estimation tool (2.2.3) developed by HR Wallingford and available at uksuds.com (https://www.uksuds.com/). The use of this tool is subject to the UK SuDS terms and conditions and licence agreement, which can both be found at uksuds.com/terms-conditions (https://www.uksuds.com/terms-conditions). The outputs from this tool have been used to estimate Greenfield runoff rates. The use of these results is the responsibility of the users of this tool. No liability will be accepted by HR Wallingford, the Environment Agency, Centre for Ecology and Hydrology, Wallingford Hydrosolutions or any other organisation for the use of these data in the design or operational characteristics of any drainage scheme.