



- ### NOTES
- DO NOT SCALE. ALL DIMENSIONS ON DRAWINGS ARE IN METERS UNLESS NOTED OTHERWISE. USE FIGURED DIMENSIONS ONLY.
  - THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER WORKS REQUIREMENTS
  - CO-ORDINATES ARE TO IRISH TRANSVERSE MERCATOR (ITM)
  - LOCATION OF EXISTING UTILITIES TO BE CONFIRMED WITH GPR SURVEY.

- ### LEGEND
- SITE BOUNDARY:
  - EXISTING SURFACE WATER SEWER:
  - EXISTING SURFACE WATER MANHOLE:
  - PROPOSED 1500 SURFACE WATER SEWER. CONNECTIONS TO BE IN ACCORDANCE WITH GREATER DUBLIN REGIONAL CODE OF PRACTICE V6:
  - PROPOSED 150mm FILTER DRAIN. REFER DETAIL ON DR. 212135-PUNCH-XX-XX-DR-C-0503:
  - PROPOSED SURFACE WATER INSPECTION CHAMBER. LAST CHAMBER BEFORE CONNECTION TO EXISTING NETWORK TO BE 600 X 600MM BLOCKWORK CHAMBER IN ACCORDANCE WITH GREATER DUBLIN REGIONAL CODE OF PRACTICE V6:
  - PROPOSED PERMEABLE PAVING. BUILDING ROOF DOWNPIPES TO DISCHARGE TO PERVIOUS PAVEMENT:

© PUNCH Consulting Engineers  
 This drawing and any design herein is the copyright of the Consultants and must not be reproduced without their written consent.  
 All drawings remain the property of the Consultants.  
 Figured dimension only to be taken from this drawing.  
 Consultants to be informed immediately of any discrepancies before work proceeds.



Rev	Description	By	Date	Rev	Description	By	Date
C01	PART 8 PLANNING	JR	2024.08.23				
C02	PART 8 PLANNING	DAP	2024.09.06				
C03	PART 8 PLANNING	AF	2024.11.05				

Rev	Description	By	Date	Rev	Description	By	Date
	Amendment				Amendment		

Client: Comhairle Cathrach Bhaile Átha Cliath Dublin City Council



Project: CARA PARK, DUBLIN 17, NEW BUILDING HOUSING			
Title: SUDS LAYOUT			
Drawn: PF	Date drawn: 2023-11-14	Technician Check: NH	Engineer Check: RL
Project No: 212135	Model Ref: 212135-PUNCH-XX-XX-M2-C-0151	Drawing Status: AO	Approved: NR
Scale @ A1: 1:250	Document Ref: 212135-PUNCH-XX-XX-DR-C-0151	Revision No: C03	

Taitte Éireann Licence No. CYAL50378050  
 © Taitte Éireann - Surveying.