LEGEND:

- SITE BOUNDARY
- PROPOSED PERMEABLE PAVING
- PROPOSED PERMEABLE PAVEMENT FOOTPATH
- PROPOSED SOFT LANDSCAPING
- PROPOSED SURFACE WATER ATTENUATION TANK
- PROPOSED GREEN-BLUE ROOF

STORMTECH ATTENUATION
TANK MC-3500
AREA=51.0m²
VOLUME=47.0m³
CL:12.300m
TWL:11.300m
IL: 9.630m

BLUE ROOF ATTENUATION SYSTEM
AREA = 77.7m²
DEPTH = 100mm
VOLUME = 7.7m³

BLUE ROOF ATTENUATION SYSTEM
AREA = 51.6m²
DEPTH = 100mm
VOLUME = 5.1m³

BLUE ROOF ATTENUATION SYSTEM
AREA = 43.2m²
DEPTH = 100mm
VOLUME = 4.3m³

PROPOSED GREEN-BLUE ROOF

Beaux Lane House
(6-storey building)

Marlin Hotel
(7-storey building)

The Swan Bar
(4-storey building)

Sherborne Apartments
(5-storey building)

Sherborne Apartments
(5-storey building)

Bow Lane East

Bow Lane West

Aungier Street

York Street

Upper Mercer Street Lower

Entrance / Exit QPark (Stephens Green)

PROPOSED LAYOUT.

SCALE 1:200

D117

PLANNING DRAWING.

NOT FOR CONSTRUCTION.
ALL LEVELS GIVEN ARE
RELATIVE TO ORDNANCE DATUM.

THIS DRAWING HAS BEEN ISSUED FOR INFORMATION PURPOSES ONLY AND MUST NOT BE USED FOR CONSTRUCTION UNDER ANY CIRCUMSTANCES

NOTES

1. For setting out refer to Architect's drawings.
2. This drawing to be read in conjunction with all other Architectural and Engineering drawings and all other relevant drawings and Specifications.
3. DO NOT SCALE THIS DRAWING. Use figured dimensions only.
4. No part of this document may be reproduced or transmitted in any form or stored in any retrieval system of any nature without the written permission as copyright holder except as agreed for use on the project for which the document was originally issued.
5. Ordnance Survey Ireland Licence Number EN 0074025

Rev. No.	Date	REVISION NOTE	Dm. By	Chkd. By
P1	28.01.2025	ISSUED FOR PLANNING	MM	SS
P2	02.07.2025	UPDATED AND ISSUE FOR PLANNING	MM	SS
P3	23.07.2025	UPDATED AND ISSUE FOR PLANNING	MM	SS
P4	25.07.2025	UPDATED AND ISSUE FOR PLANNING	MM	SS

Architect	DTA Architects
Project	Glover Court Dublin
Title	Proposed SuDS Layout Green Roof, Blue Roof, etc
Dwg. No.	D117-CSC-XX-XX-DR-C-0007

Date	Dm by	Chkd by	Aprvd by	Scale	Revision
APRIL 2024	MM	NB	MMcE	1:200 @A1	P4

CS Consulting Group
DUBLIN | LONDON | LIMERICK
Head Office
19-22 Dame Street, Dublin 2.
T: +353 (0)1 5480863
e: info@csconsulting.ie
w: www.csconsulting.ie

NSAI Certified

Quality	I.S. EN ISO 9001:2008
Environment	I.S. EN ISO 14001:2004
Energy	I.S. EN ISO 50001:2011
Health & Safety	OHSAS 18001:2007